

125/20

” “ -

|

:

1	
2	-
3	-
4	-
5	-
6	

SVESKA 5

GRAFI KADOKUMENTACIJAPROJEKTA – MAŠINSKIDEO

Sadržaj

MD105-00 – Dispozicija rekonstrukcije – crtež sa specifikacijom

MD105-01-01 – Platforma – crtež sa specifikacijom

MD105-01-01-01 – Nosa – crtež sa specifikacijom

MD105-01-01-02 – Nosa – crtež sa specifikacijom

MD105-01-01-03 – Nosa – crtež sa specifikacijom

MD105-01-01-04 – Nosa – crtež sa specifikacijom

MD105-01-01-05 – Nosa – crtež sa specifikacijom

MD105-01-01-06 – Nosa – crtež sa specifikacijom

MD105-01-01-07 – Stubi – crtež sa specifikacijom

MD105-01-01-08 – Stubi – crtež sa specifikacijom

MD105-01-01-10 – Rukohvat – crtež sa specifikacijom

MD105-02-01 – Pogon kretanja mosta – crtež sa specifikacijom

MD105-02-01-01 – Postolje – crtež sa specifikacijom

MD105-03-01 – Pogon dizanja 125t

MD105-03-01-01 – Postolje – crtež sa specifikacijom

MD105-03-02 – Pogon dizanja 20t

MD105-03-02-01 – Postolje – crtež sa specifikacijom

MD105-03-03 – Pogon kretanja dizali nih kolica

MD105-03-03-01 – Postolje – crtež sa specifikacijom

MD105-03-04 – Dizanje 5t – crtež sa specifikacijom

MD105-03-04-01 – Postolje – crtež sa specifikacijom

MD105-03-04-01-01 – Nosa – crtež sa specifikacijom

MD105-03-04-01-02 – Nosa – crtež sa specifikacijom

MD105-03-05 – Nosa ormana +H7 – crtež sa specifikacijom

MD105-03-06 – Sistem podmazivanja – crtež sa specifikacijom

MD105-03-06-01 – Postolje pumpe – crtež sa specifikacijom

MD105-04-01 – Napajanje dizalice – crtež sa specifikacijom

MD105-04-01-01 – Nosa – crtež sa specifikacijom

MD105-04-01-02 – Ruka za napajanje – crtež sa specifikacijom

MD105-04-02 – Napajanje dizali nih kolica – crtež sa specifikacijom

MD105-05 – Dava i – crtež sa specifikacijom

EKS200-30-42 – El. ko . spojnice Ø200 – crtež sa specifikacijom

EKS200-30-42-01 – Ko ioni doboš – crtež

EKS200-30-42-02 – Polutka spojnice – crtež

					2016		5	=DOC
								3
								41
				6.07.02.32- E0202- 73904/18-2017				

EKS250-38-48 – El. spojnica Ø250 – crtež sa specifikacijom
 EKS200-38-48-01 – Ko ioni doboš – crtež
 EKS200-38-48-02 – Polutka spojnice – crtež

EKS250-38-55 – Elasti na spojnica Ø250 – crtež sa specifikacijom
 EKS200-38-55-01 – Ko ioni doboš – crtež
 EKS200-38-55-02 – Polutka spojnice – crtež

EKS160-32-38 – Elasti na ko . spojnica Ø160 – crtež sa specifikacijom
 EKS160-32-38 -01 – Ko ioni doboš – crtež
 EKS160-32-38 -02 – Polutka spojnice – crtež


Š.P. MD105-00 – Šema podmazivanja mostne dizalice 125/20t


Ovde su priloženi crteži u PDF formatu na A4 formatu. Navedeni crteži su ura eni u Solid programu.

					2016		5	=DOC
								4
				6.07.02.32- E0202- 73904/18-2017				41

E P












Poz.	Naziv	Br. crteza/Oznaka	Material	Dimenzije	Kom.	Masa	Ukupna [kg]	Primedba
1	Nosač	MD105-01-01-01			4	12	48	
2	Nosač	MD105-01-01-02			4	16	80	
3	Nosač	MD105-01-01-03			2	22	88	
4	Nosač	MD105-01-01-04			1	22	22	
5	Nosač	MD105-01-01-05			1	22	22	
6	Nosač	MD105-01-01-06			1	22	22	
7	Stubić	MD105-01-01-07			11	2,1	23,1	
8	Stubić	MD105-01-01-08			1	21	21	
9	Postolje	MD105-01-01-09			1	37	37	Isporučuje se uz orman
10	Rukohvat	MD105-01-01-10			3	6,4	19,2	
11	Ploča	MD105-01-01-11	Č.0361	#10x530x740	1	23,5	23,5	
12	Patosni lim	T3 Rst 37-2	Č.0361	3x415x740	1	7,3	7,3	
13	Patosni lim	T3 Rst 37-2	Č.0361	3x740x1170	1	20,4	20,4	
14	Patosni lim	T3 Rst 37-2	Č.0361	3x740x1180	5	20,6	103,00	
15	Patosni lim	T3 Rst 37-2	Č.0361	3x740x905	1	15,8	15,8	
16	Patosni lim	T3 Rst 37-2	Č.0361	3x740x905	1	15,8	15,8	
17	Patosni lim	T3 Rst 37-2	Č.0361	3x580x1290	1	15,3	15,3	
18	Patosni lim	T3 Rst 37-2	Č.0361	3x580x675	3	9,2	27,6	
19	Patosni lim	T3 Rst 37-2	Č.0361	3x415x1290	1	9,4	9,4	
20	Rukohvat		Č.0361	Ø33.7x2.6x17000	1	17,7	17,7	
21	Kolenik		Č.0361	Ø26.9x2.6x17000	1	14	14	
22	Nogobran		Č.0361	L50x100x27500	1	150	137	Apkantovani lim
23	Vijak		8.8	M12x30	24			
24	Navitka		.8	M12	24			
25	Podloška			A12	24			


Vez:		Interna oznaka:		Masa (ukljom.): 850 kg		Razmera: 1:5	
Naziv:		Platforma		Oznaka: MD105-01-01		Lst: 1 L: 2	
Datum:		M.Matc		Lst: 1		L: 2	
Izvršio:		M.Matc		Lst: 1		L: 2	
Kontrolao:		M.Matc		Lst: 1		L: 2	
Odobrio:		M.Matc		Lst: 1		L: 2	
Sli. izmera:		Datum:		Ime:		Izv. pod:	
3		2		1		Format A1	





Presek B-B
1:2






2.	Vertikalna	MD105-01-01-02-02	Č.0361	≠ 12x190x802.5	1	10 kg		
1.	Lim	MD105-01-01-02-01	Č.0361	≠ 10x100x802.5	1	6 kg		
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena	
		Veza:		Interna oznaka:		Masa (kg/kom.): 16 kg	Razmera: 1:5	
			Datum:	06.2017.				Naziv: Nosač
			Konstruisao	M.Matić				
			Obradio	M.Matić				
			Kontrolisao					
			Odobrio					
					Oznaka: MD105-01-01-02			List: 1
								L: 1
Stil.	Izmena:	Datum:	Ime:	Izv. pod.:	Zamena za:			












2.	Vertikala	MD105-01-01-05-02	Č.0563	≠ 12x150x1350	1	14 kg	
1.	Lim	MD105-01-01-05-01	Č.0563	≠ 10x50x1350	1	5 kg	
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena
		Veza:			Interna oznaka:	Masa (kg/kom.): 22 kg	Razmera: 1:5
				Datum:	06.2017.		
				Konstruisao	M.Matić		Naziv: Nosač
				Obradio	M.Matić		
				Kontrolisao			
				Odobrio			
						Oznaka: MD105-01-01-05	
						List: 1	
						L: 1	
St.i.	Izmena:	Datum:	Ime:	Izv. pod.:	Zamena za:		
















Presek A-
1:2












15.	Podloška	SRPS M.B2.110	Č. 2130	A16	1	0 kg																									
14.	Vijak	SRPS M.B1.053	8.8	M 16x40	1	0 kg																									
13.	Podloška	SRPS M.B2.110	Č. 2130	A 12	8	0 kg																									
12.	Navrtka	SRPS M.B1.601	8.	M 12	8	0 kg																									
11.	Vijak	SRPS M.B1.051	8.8	M 12x55	4	0 kg																									
10.	Vijak	SRPS M.B1.051	8.8	M 12x65	4	0 kg																									
9.	El. koč. spojnica ø 200	EKS 200-32-42			1	19 kg																									
8.	Kočnica	DK 200- ESM 20-50-O			1	31 kg	FLUIDOTEHN																								
7.	Elektromotor	1LE1503-1DC43-4AB4			1	147 kg	SIEMENS																								
6.	Pločica za osiguranje	MD105-02-01-06	Č.0361	ø 53/ø 18x5	1	0 kg																									
5.	Podmetači	MD105-02-01-05	Č.0361	ø 5x70x130	2	1 kg																									
4.	Podmetači	MD105-02-01-04	Č.0361	ø 5x70x85	2	0 kg																									
3.	Podmetači	MD105-02-01-03	Č.0361	ø 5x70x110	1	0 kg																									
2.	Podmetači	MD105-02-01-02	Č.0361	ø 5x110x110	1	0 kg																									
1.	Postolje	MD105-02-01-01			1	23 kg																									
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena																								
 Veza:			Interni oznaka:		Masa (kg/kol.): 222 kg		Razmera: 1:2																								
<table><tr><td></td><td></td><td></td><td>Datum:</td><td>06.2017.</td></tr><tr><td></td><td></td><td></td><td>Korisnik:</td><td>M.Matić</td></tr><tr><td></td><td></td><td></td><td>Odobro:</td><td>M.Matić</td></tr><tr><td></td><td></td><td></td><td>Korisnik:</td><td></td></tr><tr><td></td><td></td><td></td><td>Odobro:</td><td></td></tr></table>						Datum:	06.2017.				Korisnik:	M.Matić				Odobro:	M.Matić				Korisnik:					Odobro:		Naziv:		Pogon kretanja mosta	
			Datum:	06.2017.																											
			Korisnik:	M.Matić																											
			Odobro:	M.Matić																											
			Korisnik:																												
			Odobro:																												
			Oznaka:		MD105-02-01		List: L. 1																								
Sli.	Izmene:	Datum:	Izv. pod:	Završna ra:																											






7.	Lim	MD105-02-01-01-07	Č. 0563	≠ 8x62x190	2	1,5 kg	
6.	Privarak	MD105-02-01-01-06	Č. 0563	≠ 5x70x130	2	0,7 kg	
5.	Privarak	MD105-02-01-01-05	Č. 0563	≠ 5x70x85	2	0,5 kg	
4.	Privarak	MD105-02-01-01-04	Č. 0563	≠ 10x70x110	1	0,6 kg	
3.	Privarak	MD105-02-01-01-03	Č. 0563	≠ 10x110x110	1	0,9 kg	
2.	Lim	MD105-02-01-01-02	Č. 0563	≠ 8x65x635	2	4,9 kg	
1.	Lim	MD105-02-01-01-01	Č. 0563	≠ 8x400x635	1	14,0	
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena



		Veža:		Interna oznaka:		Masa (kg/kom.): 23,0 kg		Razmera: 1:2,5	
				Datum: 06.2017.		Naziv: <div style="text-align: center; font-size: 2em; font-weight: bold;">Postolje</div>			
				Konstuisao: M.Matić					
				Obradio: M.Matić					
				Kontrolisao:					
				Odobrio:					
									
Sti.	Izmena:	Datum:	Ime:	Izv. pod.:	Oznaka: MD105-02-01-01		List: 1 L: 1		
				Zamena za:					




16.	El. podložka	SRPS M.B2.110	Č. 2130	A 14	4	0 kg	
15.	Navrtka	SRPS M.B1.601	8	M 14	4	0 kg	
14.	Vijak	SRPS M.B1.053	8.8	M 14x70	4	0 kg	
13.	Vijak	SRPS M.B1.053	8.8	M 16x40	1	0 kg	
12.	Podložka	SRPS M.B2.110	Č. 2130	A16	5	0 kg	
11.	Navrtka	SRPS M.B1.601	8	M 16	4	0 kg	
10.	Vijak	SRPS M.B1.051	8.8	M 16x70	4	1 kg	
9.	Osig. pločica	MD105-03-01-09	Č.0361	ø 63/ø18x5	1	0 kg	
8.	Podmetači	MD105-03-01-08	Č.0361	# 5x75x130	2	1 kg	
7.	Podmetači	MD105-03-01-07	Č.0361	# 5x75x95	2	1 kg	
6.	Podmetači	MD105-03-01-06	Č.0361	# 5x90x110	1	0 kg	
5.	Podmetači	MD105-03-01-05	Č.0361	# 5x110x130	1	0 kg	
4.	El. spojnica ø 250	EKS 250-38-48			1	30 kg	
3.	Kočnica	DK 250- ESM 50-50-O		ø 66x118	1	40 kg	FLUIDOTEH
2.	Elektromotor	1LE1503-1EC43-4AB4		ø 66x118	1	180 kg	SIEMENS
1.	Postolje	MD105-03-01-01			1	42 kg	



 Veza:		Datum: 06.2017.		Interna oznaka:		Masa (kg/cm): 294 kg		Razmera: 1:2	
		Korisnik: M. Matić		Naziv: Pogon dizanja 125t					
		Održao: M. Matić							
		Kontrolisao:							
		Obziro:							
				Oznaka: MD105-03-01					
Sli. Izmena:		Datum:		Ime: Izv. pod:		Zamena za:		List: 1 U: 1	










Pre nego što se pristupi izradi spojnice, poz. 3, posle demontaže stare spojnice utvrditi ugradbene mere, prečnik ulaznog vratila reduktora, dužinu istog...






		Vezai:		Interneta oznaka:		Masa (kg/kom.):	Razmera:
						327,54 kg	1:5
		Datum:		Naziv:			
		07.2017.		Pogon dizanja 20t			
		M.Matić					
		M.Matić					
		Obradilo					
		Kontrolisalo					
		Odobrio					
				Oznaka:			
				MD105-03-02		List: 1	
						1	
Slu.	Izmena:	Datum:	Ime:	Izv. pod:	Zamena za:		






6.	Privarak	MD105-03-02-01-06	Č.0563	≠ 5x80x114	4	1,43			
5.	Privarak	MD105-03-02-01-05	Č.0563	≠ 20x90x110	1	1,55			
4.	Privarak	MD105-03-02-01-04	Č.0563	≠ 20x110x130	1	2,25			
3.	Lim	MD105-03-02-01-03	Č.0563	≠ 5x182x240	2	3,43			
2.	Lim	MD105-03-02-01-02	Č.0563	≠ 5x182x740	2	8,04			
1.	Lim	MD105-03-02-01-01	Č.0563	≠ 8x471x740	1	21,89			
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena		
 Veza:				Interna oznaka:		Masa (kg/kom.): 38,27 kg		Razmera: 1:5	
				Datum: 07.2017.		Naziv: Postolje			
				Konstruisao M.Matč					
				Obradio M.Matč					
				Kontrolisao					
				Odobrio					
						Oznaka: MD105-03-02-01			List: 1
									L: 1
Sti.	Izmena:	Datum:	Ime:			Izv. pod.:			Zamena za:
4		3		2		1 Format A3			












Presek A-A
1:5







5.	Navrtka	SRPS M.B1.601	8.	M 20	4	0.3 kg	
4.	El. podloška	SRPS M.B2.110	Č. 2130	A 20	4	0.1 kg	
3.	Vijak	SRPS M.B1.051	8.8	M 20x60	4	0.9 kg	
2.	Elektro vitlo	MH 6-25 2-1 H16.5			1	800.0 kg	
1.	Postolje	MD105-03-04-01			1	164.8 kg	
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena
		Veza:		Interna oznaka:		Masa (kg/kom.): 964.8 kg	Razmera: 1:10
				Datum:		06.2017.	
				Konstruisao		M.Matić	
				Obradio		M.Matić	
				Kontrolisao			
				Odobrio			
						Oznaka: MD105-03-04	
St.i.	Izmena:	Datum:	Ime:	Izv. pod.:	Zamena za:		List: 1
							L: 1





4.	Rebro	MD105-03-04-01-04	Č.0563	≠ 10x450x753	1	26.6 kg	
3.	Lim	MD105-03-04-01-03	Č.0563	≠ 10x150x957	1	11.3 kg	
2.	Nosač	MD105-03-04-01-02			1	63.4 kg	
1.	Nosač	MD105-03-04-01-01			1	63.4 kg	
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena
	Veza:			Interna oznaka:	Masa (kg/kom.): 164.8 kg		Razmera: 1:5
			Datum:	06.2017.			
			Konstruisao	M.Matić			
			Obradio	M.Matić			
			Kontrolisao				
			Odobrio				
							
Sti.	Izmena:	Datum:	Ime:	Izv. pod.:	Oznaka:		MD105-03-04-01
				Zamena za:		List: 1	L: 1
3				2		1 Format A2	





5.	Lim	MD105-03-04-01-01-05	Č.0563	≠ 12x700x980	1	26,8 kg	
4.	Rebro	MD105-03-04-01-01-04	Č.0563	≠ 10x85x150	4	4,0 kg	
3.	Privarak	MD105-03-04-01-01-03	Č.0563	≠ 5x80x80	2	0,5 kg	
2.	Lim	MD105-03-04-01-01-02	Č.0563	≠ 12x90x50	1	4,2 kg	
1.	Lim	MD105-03-04-01-01-01	Č.0563	≠ 12x700x980	1	28,1 kg	
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena
Veza:			Interna oznaka:		Masa (kg/kom.): 63,4 kg		Razmera: 1:5
			Datum:	06.2017.		Naziv: Nosač	
			Konstruisao	M.Matić			
			Obradio	M.Matić			
			Kontrolisao				
			Odobrio			Oznaka: MD105-03-04-01-01	
Sti.	Izmena:	Datum:	Ime:	Izv. pod.:	Zamena za:		List: 1
3					1		L: 1
				Format A2			






5.	Lim	MD105-03-04-01-01-05	Č.0563	≠ 12x700x980	1	26.8 kg	
4.	Rebro	MD105-03-04-01-01-04	Č.0563	≠ 10x85x150	4	4.0 kg	
3.	Privarak	MD105-03-04-01-01-03	Č.0563	≠ 5x80x80	2	0.5 kg	
2.	Lim	MD105-03-04-01-01-02	Č.0563	≠ 12x90x50	1	4.2 kg	
1.	Lim	MD105-03-04-01-01-01	Č.0563	≠ 12x700x980	1	28.1 kg	
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena
 Veza:				Interna oznaka:	Masa (kg/kom.): 63.4 kg		Razmera: 1:5
			Datum:	06.2017.			
			Konstruisao	M.Matić	Naziv: Nosač		
			Otradio	M.Matić			
			Kontrolisao				
			Odobrio				
					Oznaka:	MD105-03-04-01-02	
						List: 1	
						L: 1	
St.i.	Izmena:	Datum:	Ime:	Izv. pod:	Zamena za:		
3			2		1		Format A2






- | | | | | | | | |
|---|--|---|--|---|--|------------------|--|
|  Veza: | | Interna oznaka: | | Masa (kg/kom.):
65,5 | | Razmera:
1:30 | |
| | | Datum: | | Naziv:



<div style="text-align: center; font-size: 1.2em;">Centralno podmazivanje</div> | | | |
| | | Korisnik: M. Mijatc | | | | | |
| | | Oprema: M. Mijatc | | | | | |
| | | Oprema: | | | | | |
| | | Oprema: | | | | | |
| | |  | | Oznaka: | | List: 1 | |
| S.L. Izmeria: | | | | Datum: | | L: 1 | |
| | | Ime: | | Izv. pod: | | Zamena za: | |




Poz.	Naziv	Br. crteza/Oznaka	Material	Dimenzije	Kom .	Masa	Ukupna [kg]	Primedba
1	MD105-03-06-01-01	Lim	Č.0361	≠ 8x140x270	1	2,37 kg	2,37 kg	
2	MD105-03-06-01-02	Lim	Č.0361	≠6x140x100	2	0,66 kg	1,32 kg	
3	MD105-03-06-01-03	Pločica	Č.0361	≠10x60x130	2	0,31 kg	0,61 kg	


		Veza:				Interna oznaka:		Masa (kg/kom.): 4,27 kg		Razmera: 1:2	
				Datum:			Naziv: <div style="text-align: center; font-size: 2em; font-weight: bold;">Postolje pumpe</div>				
				Konstruisao	M.Matć						
				Obradio	M.Matć						
				Kontrolisao							
				Odobrio							
				<div style="font-size: 4em; font-weight: bold; letter-spacing: 0.5em;">E</div>  <div style="font-size: 4em; font-weight: bold; letter-spacing: 0.5em;">P</div>			Oznaka: MD105-03-06-01			List: 1	
St.i.	Izmena:	Datum:	Ime:	Izv. pod.:			Zamena za:			L: 1	





Poz.	Naziv	Br. crteza/Oznaka	Material	Dimenzije	Kom.	Masa	Ukupna [kg]	Primerba
1	Nosač	MD105-04-01-01			14	5,9	82,6	
2	Ruka za napajanje	MD105-04-01-02			1	50,5	50,5	
3	Nosač kolica	INP10	C.0361	INP10x31,27m	1	263,7	263,7	
4	Početna kablovska kolica	PK 180100.30			1	2	2	MS ELEKTRONIK
5	Noseća kablovska kolica	NK 180100.30			12	4	48	MS ELEKTRONIK
6	Vučna kablovska kolica	VK 180100.30			1	4,5	4,5	MS ELEKTRONIK
7	Anker vijak	M16			84	0,6	50,4	
8	Obično čelično užje	4 SRPS C.H1.072		Ø4x38m	1	2,3	2,3	
9	Stezač užeta				26	0,01	0,3	
 Veza:					Interna oznaka:		Masa (ukom.): 505	Razmera: 1:30
					Naziv:		Napajanje dizalice	
					Oznaka:		MD105-04-01	
							Lst: 1	
							L: 1	
								
St.	Imena	Datum:	Ime:	Izv. pod:	Završna za:			
3				2	1			




3.	Rebro	MD105-04-01-01-03	Č.0563	≠ 8x75x80	1	0,3 kg		
2.	Profil	MD105-04-01-01-02	Č.0563	IPN 100x190	1	1,6 kg		
1.	Ploča	MD105-04-01-01-01	Č.0563	≠ 10x210x250	1	4,1 kg		
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena	
		Veza:		Interna oznaka:	Masa (kg/kom.): 5,9 kg		Razmera: 1:2	
				Datum:	06.2017.			
				Konstruisao	M.Matić			
				Obradio	M.Matić			
				Kontrolisao				
				Odobrio				
				Oznaka:				List: 1
				MD105-04-01-01				L: 1
St.i.	Izmena:	Datum:	Ime:	Izv. pod.:	Zamena za:			












Presek A-A



Detalj "A"
1:1



Napomena :

Sve oborene ivice su 1/45°

Tolerancija slobodnih mera: ISO 2768 mK-E		Klasa površinske hrapavosti: 12.5/▽		Površinska zaštita: AKZ po internom standardu	
Materijal: Č. 1530		Termička obrada: Rm≥600N/mm ² A: HRc≥40, h=2 mm		Interna oznaka:	
Veza:		Masa (kg/kom.): 10 kg		Razmera: 1:2	
Datum: 06.2017.		Naziv: Kočioni doboš		Oznaka: EKS 200-32-42-01	
Konstruisao: M.Matić		List: 1		L: 1	
Obradio: M.Matić		Zamena za:			
Kontrolisao:					
Odobrio:					
St.i.		Izmena:		Datum:	
Ime:		Izv. pod:		Zamena za:	

EP

F


E

D




C

B

A




Presek A-A

Detalj "A"
1:1

Napomena :

Sve oborene ivice su 1/45°

Tolerancija slobodnih mera: ISO 2768 mK-E				Klasa površinske hrapavosti: 12.5/ <div>▽</div>		Površinska zaštita: AKZ po internom standardu					
Materijal: Č. 1530						Termička obrada: Rm≥600N/mm ²					
<div><div></div><div></div></div>		Veza:				Interna oznaka:		Masa (kg/kom.): 8 kg	Razmera: 1:2		
				Datum:	06.2017.		Naziv: Polutka spojnice				
				Konstruisao	M.Matić						
				Obradio	M.Matić						
				Kontrolisao							
				Odobrio							
				<div><div>E</div><div><div></div></div>P</div>			Oznaka: EKS 200-32-42-02		List: 1		
						L: 1					
St.i.		Izmena:		Datum:		Ime:		Izv. pod.:		Zamena za:	




The technical drawing consists of three views of a mechanical part:




- Front View (Left):** A circular part with an outer diameter of $\varnothing 200$ and an inner diameter of $\varnothing 145$. It features six holes arranged in a circular pattern, with a 45° chamfer on the outer edge. A section line A-A is indicated at the top.
- Presek A-A (Middle):** A cross-sectional view showing the internal structure. The total width is 135. The central hole has a diameter of $\varnothing 48$ with a tolerance of $+0.025/0$. The part has a conical section with a 1:10 taper. Surface textures are specified as 3.2 and 0.80. Radii of $R3$ are shown at the corners.
- Detalj "A" 1:1 (Right):** A detailed view of the central hole. It shows a diameter of $\varnothing 48$ with a tolerance of $+0.025/0$. The hole is surrounded by a flange with a thickness of 14 and a surface texture of 3.2. The overall width of the detail is 51.8 with a tolerance of $+0.2/0$.



Technical drawing of a mechanical part showing dimensions and tolerances:

- Overall width: $51,8^{+0.2}_0$
- Overall height: $14^{-0.018}_{-0.061}$
- Inner diameter: $\varnothing 48^{+0.025}_0$
- Surface texture (Ra) on the top surface: 3.2
- Surface texture (Ra) on the bottom surface: 6.3
- Surface texture (Ra) on the side surface: 3.2


Sve oborene ivice su $1/45^\circ$





Tolerancija slobodnih mera: ISO 2768 mK-E				Klasa površinske hrapavosti:		12.5 		Površinska zaštita: AKZ po internom standardu				
Materijal: Č. 1530								Termička obrada: Rm≥600N/mm²				
		Veza:		Interni oznaka:				Masa (kg/kom.): 13 kg		Razmera: 1:2		
				Datum:	06.2017.			Naziv: Polutka spojnice				
				Konstruisao	M.Matić							
				Obradio	M.Matić							
				Kontrolisao								
				Odobrio								
								Oznaka: EKS 250-38-48-02		List: 1		
										L: 1		
Sti.	Izmena:		Datum:	Ime:	Izv. pod.:				Zamena za:			







Napomena:
Pre izrade kočionog doboša
Izmeriti sprežuće mere sa
ulaznog vratila reduktora
dizanja 20t




8.	Rascepka	SRPS M.B2.300		2,5x15	8	0 kg			
7.	El. podloška	SRPS M.B2.110	Č. 2130	A 10	8	0 kg			
6.	Navrtka	SRPS M.B1.601	8	M 10	8	0 kg			
5.	Podloška	SRPS M.B2.013	Č. 0361	14	8	0 kg			
4.	Gumeni uložak	SRPS G E9.020	Guma 70 Sh	28	8	0 kg			
3.	Svornjak sa navojem	SRPS M.C3.080	Č. 1430	14	8	1 kg			
2.	Polutka spojnice	EKS 250-38-55-02	Č. 1530	ø 200x140	1	13 kg			
1.	Kočioni doboš	EKS 250-38-55-01	Č. 1530	ø 250x105	1	17 kg			
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena		
		Veza:		Interna oznaka:		Masa (kg/kom.): 30 kg		Razmera: 1:2	
				Datum: 06.2017.		Naziv: Elastična spojnica ø 250			
				Konstruisao M.Matić					
				Obradio M.Matić					
				Kontrolisao					
				Odobrio					
						Oznaka: EKS 250-38-55			List: 1
									L: 1
St.i.	Izmjena:	Datum:	Ime:	Izv. pod.:		Zamena za:			








Napomena :
Sve oborene ivice su 1/45°

Tolerancija slobodnih mera: ISO 2768 mK-E				Klasa površinske hrapavosti: 12.5/▽		Površinska zaštita: AKZ po internom standardu					
Materijal: Č. 1530						Termička obrada: Rm≥600N/mm² A: HRc≥40, h=3 mm					
		Veza:				Interna oznaka:		Masa (kg/kom.): 17 kg		Razmera: 1:2	
				Datum:	06.2017.		Naziv: Kočioni doboš				
				Konstruisao	M.Matić						
				Obradio	M.Matić						
				Kontrolisao							
				Odobrio							
							Oznaka: EKS 250-38-55-01				
St.i.	Izmena:	Datum:	Ime:	Izv. pod.:			Zamena za:				
							List: 1		L: 1		








7.	Podloška	SRPS M.B2.013	Č....	6	8	0 kg	
6.	Navrtka	SRPS M.B1.601	8	M 6	8	0 kg	
5.	Podloška	SRPS M.B2.110	Č. 2130	A 6	8	0 kg	
4.	Gumeni uložak	SRPS G.E9.020	Guma 70 Sh	18	8	0 kg	
3.	Svornjak sa navojem	SRPS M.C3.080	Č. 1430	8	8	0 kg	
2.	Polutka spojnice	EKS-160-32-38-02	Č. 1530	ø 130x100	1	3 kg	
1.	Osovina	EKS-160-32-38-01	Č. 1530	ø 66x118	1	5 kg	
Poz.	Naziv	Crtež-Standard	Materijal	Dimenzije	Kol.	Masa	Napomena



		Veza:				Interna oznaka:		Masa (kg/kom.): 8 kg		Razmera: 1:2	
				Datum:	07.2017.		Naziv: Elastična koč. spojnica ø160				
				Konstruisao	M.Matić						
				Obradio	M.Matić						
				Kontrolisao							
				Odobrio							
							Oznaka: EKS-160-32-38				List: 1
											L: 1
Sti.	Izmena:	Datum:	Ime:	Izv. pod.:	Zamena za:						

EP







 Veza:		Interna oznaka:		Masa (kg/kom.):		Razmera: 1:30	
		Datum:		Naziv: Šema podmazivanja			
		Korisnik: M. Matić					
		Održao: M. Matić					
		Kontrolisao:					
		Obdobje:					
							
SLI:		Izmena:		Datum:		Izn. pođ:	
3		2		1		Format A1	